

Math 3342 Exam #2 practice

Question 1. For each language, please make a grammar:

- a) $\{(ab)^n a^n\}$
- b) $\{a^n b^k \mid k = n \text{ or } k = n + 2\}$
- c) $\{a^n b^k c^m\}$
- d) $\{a^{2n} b a^k b^n\}$
- e) Which of your grammars above are context-free, and which are not? Briefly explain (enough so that I know that you know what “context free” means).

Question 2. Please make a grammar for the language of strings that look like:

[xxx] [xxxx] [xx] [] [x]

These are strings consisting of zero or more blocks, each of which has brackets around 0 or more x's. (The empty string is part of this language.)

Question 3. Please give an example of a nonempty set L such that some derivative of L equals L . Write clearly which derivative of L you are using.

Question 4. Please show that $L = \{xax^2 \mid x \in \{a, b\}^*\}$ is not a regular language.

Question 5. Here is a stack machine:

	read	pop	push
1.	a	S	SXX
2.	b	X	ϵ
3.	ϵ	S	ϵ

- a) Please show that $aabbbb$ is accepted by this stack machine.
- b) Please show that ab is not accepted.
- c) Please convert the stack machine to an equivalent grammar.
- d) Please describe the language of this machine in words or using set theory notation.
- e) If we change the “push ϵ ” in rule 3 to “push X ”, then what will the language of this new machine be?
- f) If we change the “push ϵ ” in rule 2 to “push X ” (but keep rule 3 like it originally was), then what will the language of this new machine be?

Question 6. Please show that $L = \{a^k b^n a^n\}$ is not a regular language.

Question 7. Please explain briefly why there can be no general purpose method to convert any context-free grammar into an equivalent NFA.

Question 8. Please give a stack machine for the language $\{a^n b^k a^n\}$

Answers!

1. a) $S \rightarrow abSa \mid \epsilon$
b) $S \rightarrow aSb \mid \epsilon \mid b^2$
c) $S \rightarrow ABC$
 $A \rightarrow aA \mid \epsilon$
 $B \rightarrow bB \mid \epsilon$
 $C \rightarrow cC \mid \epsilon$
d) $S \rightarrow aaSb \mid bT$
 $T \rightarrow aT \mid \epsilon$
e) All these are context free, which just means that the left side of the arrow is always just a single nonterminal symbol.

2. $S \rightarrow SS \mid [X] \mid \epsilon$
 $X \rightarrow xX \mid \epsilon$

3. Many possible answers, but I'll go with $L = \{a^n\}$. Then $\frac{d}{da}L = L$. (The simplest and overly-stupid answer would be $L = \emptyset$.)

4. Let's take $\frac{d}{da^i}L$. If some string in L begins with a^i , then it must have $x = a^i y$ for some y , so the format of the whole string looks like $xa^i x^2 = a^i y a a^i y a^i y$. So when we take the derivative, we get:

$$\frac{d}{da^i}L = \{y a a^i y a^i y \mid y \in \{a, b\}^*\}.$$

These are all different for different i , so L has infinitely many derivatives, so L is not regular.

5. a) $(aabb, S) \mapsto (abbbb, SXX) \mapsto (bbbb, SXXXX) \mapsto (bbbb, XXXX) \mapsto (bbb, XXX) \mapsto (bb, XX) \mapsto (b, X) \mapsto (\epsilon, \epsilon)$
b) There are two ways to attempt to read ab , but both fail:
 $(ab, S) \mapsto_3 (ab, \epsilon)$ stuck!
 $(ab, S) \mapsto_1 (b, SXX) \mapsto (b, XX) \mapsto (\epsilon, X)$ stuck!
c) $S \rightarrow aSXX \mid \epsilon$
 $X \rightarrow b$
d) $\{a^n b^{2n}\}$
e) This makes one extra X , which will need to be canceled by one extra b , so it'll be $\{a^n b^{2n+1}\}$.
f) This rule would make it impossible to ever clear an X off of the stack. Then the only string accepted would be the empty string (after doing step 3 once). So the language would be $\{\epsilon\}$.
6. Let $D_i = \frac{d}{db^i}L = \{b^{n-i}a^n\}$. These are all different for various i , so L has infinitely many derivatives, so L is not regular.

7. Some CFGs generate nonregular languages. (Like $S \rightarrow aSb \mid \epsilon$.) So those ones are impossible to convert into an equivalent NFA.

8. I made a grammar first:

$$S \rightarrow aSa \mid B$$

$$B \rightarrow bB \mid \epsilon$$

And now convert to a stack machine:

read	pop	push
ϵ	S	aSa
ϵ	S	B
ϵ	B	bB
ϵ	B	ϵ
a	a	ϵ
b	b	ϵ